



Screen Lowering Device

Type C ElectriCinema

What do you do if you have a very high ceiling, say in a church or town hall? You lower the projection screen into position, then motor down the screen.

Using a secondary motor system that lowers and raises an ElectriCinema projection screen into position, the device comes with a top enclosure for the screen to rest in when not in use and full cable management for the primary screen and secondary lift motor.

Market Segments:



Home
Entertainment



Education




Government



Corporate


Benefits include:

- Benefits include
- Lowers the screen into position
- Screen enclosure
- Back-up fall arrestor for additional safety
- System includes screen



Coreflute covers on sides and top.

Cable Management for Power



NOTES:

- Designed for in ceiling installation
- Please seek advice if exposed installation is required.

Manufacturing tolerance +/- 10mm on in ceiling box, screen headbox, and slatrod
All dimensions are in (mm) If installed in ceiling always allow for removal for servicing.

The Concept, Design and Details in this drawing are the property of Screen Technics with whom the copyright resides. They may not be reproduced without written permission of Screen Technics.

Date
19/01/2023

Part Number
SLD6xxxxx-C

Rev
05 -SS

Product Features

DESCRIPTION:

Lifting Device to lower motorised screen into position with high ceiling

SCREEN:

Pricing includes the cost of the Motorised Screen (ElectriCinema)

TRAVEL:

Standard travel equals picture area width (extra travel available on some models to a maximum of 4200mm)

BRACKETS:

8 off M10 eyebolts

BOX:

MDF Construction with Ceiling Edge Strip and Cable Management System

SURFACE:

Unity White PVC (no black backing) - Gain 1.0, Refer to screen material options for additional surface options

SIZES:

160" to 220" Diagonal custom sizes & formats available upon request


OPTIONS:

Extra Travel and various control options

ARCHITECTS SPECIFICATION

The screen lowering device shall be an Australian made Screen Technics Type C model _____ Including ElectriCinema projection screen with Matt White surface and shall be located where indicated on the plans.

Installation shall be done in accordance with the manufacturer's instructions



ITEM NO	INCH DIAGONAL	IMAGE SIZE mm	FORMAT	MAX CASE TRAVEL	BOX LENGTH mm	BOX WIDTH mm	BOX HEIGHT mm	WEIGHT kg
SLD616019-C	160"	2440 x 3250	Video 4:3	3300	3815	256	478	190
SLD617019-C	170"	2590 x 3455	Video 4:3	3500	4020	256	478	195
SLD618019-C	180"	2745 x 3660	Video 4:3	3700	4225	256	478	205
SLD619019-C	190"	2895 x 3860	Video 4:3	3900	4425	256	478	210
SLD620019-C	200"	3050 x 4065	Video 4:3	4100	4630	256	478	220
SLD621019-C	210"	3200 x 4265	Video 4:3	4200	4830	256	478	230
SLD622019-C	220"	3355 x 4470	Video 4:3	4200	5035	256	478	240
SLD623019-C	230"	3505 x 4675	Video 4:3	4200	5440	256	478	255
SLD616029-C	160"	1995 x 3545	HDTV 16:9	3600	4110	256	478	200
SLD617029-C	170"	2115 x 3765	HDTV 16:9	3800	4330	256	478	205
SLD618029-C	180"	2240 x 3985	HDTV 16:9	4000	4550	256	478	215
SLD619029-C	190"	2365 x 4205	HDTV 16:9	4200	4770	256	478	225
SLD620029-C	200"	2490 x 4425	HDTV 16:9	4200	4990	256	478	235
SLD621029-C	210"	2615 x 4650	HDTV 16:9	4200	5215	256	478	245
SLD622029-C	220"	2740 x 4870	HDTV 16:9	4200	5445	256	478	255
SLD616069-C	160"	2155 x 3450	16:10	3500	4015	256	478	195
SLD617069-C	170"	2290 x 3665	16:10	3700	4230	256	478	200
SLD618069-C	180"	2425 x 3880	16:10	3900	4445	256	478	210
SLD619069-C	190"	2560 x 4095	16:10	4100	4660	256	478	220
SLD620069-C	200"	2695 x 4310	16:10	4200	4875	256	478	230
SLD621069-C	210"	2830 x 4525	16:10	4200	5090	256	478	240
SLD622069-C	220"	2965 x 4740	16:10	4200	5305	256	478	250


Manufacturing tolerance +/- 10mm on in ceiling box, screen headbox, and slatrod
All dimensions are in (mm) If installed in ceiling always allow for removal for servicing.

The Concept, Design and Details in this drawing are the property of Screen Technics with whom the copyright resides. They may not be reproduced without written permission of Screen Technics.

Date
19/01/2023

Part Number
SLD6xxxxx-C

Rev
05 SS



NOTES:

- Designed for in ceiling installation
- Please seek advice if exposed installation is required.

Manufacturing tolerance +/- 10mm on in ceiling box, screen headbox, and slatrod
All dimensions are in (mm) If installed in ceiling always allow for removal for servicing.

AUSTRALIA

22-24 Suttor Road

Moss Vale NSW 2577

+61 2 4869 2100

screenotechnics.com.au • info@screenotechnics.com.au

NEW ZEALAND

44 Mahana Road

Te Rapa, Hamilton

+0800 022 821